<u>Claims</u>

This listing of claims will replace all prior versions and listings of claims

in the application.

1. (Currently Amended)   A method of using a wireless scheduling device <u>in</u> <u>communication with a wireless network facility</u> to determine schedule availability for a set of attendees, the method comprising:

     a.   communicating an availability request to a server <u>over a wireless</u> <u>network facility</u> using the wireless scheduling device, the server having access to calendar data for each attendee in the set of attendees;

     b.   in response to the availability request, conducting a search of the calendar data of each attendee of the set to produce an availability data set;

     c.   transmitting the availability data set <u>over a wireless network</u> <u>facility</u> to the wireless scheduling device.

2. (Original) A method according to claim 1, further including:

     displaying data derived from the availability data set on the wireless scheduling device.

3. (Original) A method according to claim 2, wherein the data derived from the availability data set is displayed as free time and busy time.

4. (Original) A method according to claim 1, wherein the availability request is communicated to the server via a network.

5. (Original) A method according to claim 4, wherein the network includes the Internet.

6. (Original)   A method according to claim 1, wherein the availability request includes an identifier for each attendee and a time period for which availability should be determined.

7. (Original)   A method according to claim 6, wherein the identifier for each attendee is an email address.

8. (Original)   A method according to claim 1, wherein the calendar data for each attendee is stored in an availability database in communication with the server.

9. (Original)   A method according to claim 1, further including:

scheduling an event based on the availability data set.

10. (Original) A method according to claim 9, wherein the event is scheduled using the wireless scheduling device.

11. (Original) A method according to claim 9, further including:

updating the calendar data for each attendee with the scheduled event.

12. (Original) A method according to claim 1, further including before step b:

requesting access to the calendar data for each attendee in the set of attendees.

13. (Original) A method according to claim 12, wherein access to calendar data is requested via email over the Internet.

14. (Currently Amended)   A system for determining schedule availability of a set of attendees using a wireless scheduling device, the system comprising:

a first process, running on the wireless scheduling device in

communication with a server <u>over a wireless network facility</u>, for communicating an availability request to the server, the server having access to calendar data for each attendee in the set of attendees;

a second process, running on the server, for conducting a search of the calendar data of each attendee of the set to produce an availability data set in response to the availability request; and

a third process, running on the server, for transmitting the availability data set to the wireless scheduling device <u>over a wireless network facility</u>.

15. (Original) A system according to claim 14, further including:

a fourth process, running on the wireless scheduling device, for displaying data derived from the availability data set on the wireless scheduling device.

16. (Original) A system according to claim 15, wherein the data derived from the availability data set is displayed as free time and busy time.

17. (Original) A system according to claim 14, wherein the availability request is communicated to the server via a network.

18. (Original) A system according to claim 17, wherein the network includes the Internet.

19. (Original) A system according to claim 14, wherein the availability request includes an identifier for each attendee and a time period for which availability should be determined.

20. (Original) A system according to claim 19, wherein the identifier for each attendee is an email address.

21. (Original) A system according to claim 14, wherein the calendar data for each attendee is stored in an availability database in communication with the server.

22. (Currently Amended)   A wireless scheduling device comprising:

availability logic for creating an availability request to determine schedule availability for a set of attendees;

transmission logic for communicating the availability request over a wireless network facility to a server, the server having access to calendar data for each attendee in the set of attendees; and

receiving logic for receiving an availability data set produced at the server from a wireless network facility in response to the availability request.

23. (Original) A wireless scheduling device according to claim 22, further including:

display logic for displaying data derived form the availability data set.

24. (Original) A wireless scheduling device according to claim 23, wherein the data derived from the availability data set is displayed as free time and busy time.

25. (Original) A wireless scheduling device according to claim 22, wherein the availability request includes an identifier for each of the attendees and a time period for which availability should be determined.

26. (Original) A wireless scheduling device according to claim 25, wherein the identifier for each attendee is an email address.

5